

## Om opgaven

*FIKTIV OPGAVE:* Til denne opgave skal der laves et design til en hjemmeside (one-page) samt designes grafik og knapper. Designet opsættes som HTML / CSS og valideres.

### PROGRAMVALG

Webdesign og grafik: Photoshop.

Opsætning i HTML: DreamWeaver.

### OPGAVEN INDEHOLDER

*DESIGNUDVIKLING:*

- Brainstorm og mindmap.
- Skitser til webdesign og designproces.
- Valg af farver og skrifttyper.
- Grafik og billeder fra Photoshop.
- Flowchart, storyboard og skelet.

*OPSÆTNING I HTML:*

- Udsnit af HTML-koder.
- Udsnit af CSS-styles.
- Forklaring af særlige HTML-koder.
- Validering af formular og hjemmeside.
- Oversigt over styles på skrifttyper. **FP**

**FP** = Vedlagt i fysisk portfolio.

### KRAV TIL OPGAVEN

Enkel stil, begrænset tekst, fokus på billeder / produkter.

Fokus på overskuelig navigering og brugervenlighed.

Kontaktformular og produktvisning.

### PRODUKTIONSMETODER

- Alle filer opdeles i særskilte lag med navn.
- Alle lag inddeles i gruppe for bedre overblik.
- HTML-side (index), tekst- og billedfiler og CSS-styles inddeles i separate mapper for bedre overblik.

## Arbejdsproces

*DESIGNUDVIKLING:*

- Idéudvikling (inspiration hentet fra nettet).
- Håndtegnede skitser - design udvalgt.
- Designet opsættes i Photoshop og dokumentet tilpasses faste mål (max. 980 px. i bredden på indhold).
- Billeder redigeres og konverteres til Grayscale.
- Grafik og billeder laves i Photoshop.
- Alle filer til hjemmesiden optimeres til web.
- Flowchart, storyboard og skelet laves.

*OPSÆTNING I HTML, CSS OG VALIDERING:*

- Webfont genereres med nødvendige filer.
- Sidens body og wrapper oprettes.
- Faste elementer (logo, menu, topbillede) placeres.
- De forskellige indholdsområder oprettes samt oprettelse af CSS-styles til skrifttyper, links, menu mv.
- Funktion til produkter, medarbejdere og kortet opbygges - jQuery / Javascript implementeres.
- Formularen bygges op og testes.
- Løbende tests / previews af opsætningen gennem browservisning, herunder løbende rettelser / justeringer.
- Validering af hjemmesiden.

## Kvalitetsvurdering

*DESIGNUDVIKLING:*

Det er mit første one-page design, og jeg er meget glad for det færdige resultat. Det er har været en udfordring at lave et design, der imødekommer de krav, som et one-page design stiller - bl.a. krav om overskuelighed i indholdet, nem navigering, overblik osv.

Men jeg synes, at helheden fungerer optimalt og alle funktionerne virker efter hensigten. Og havde jeg haft mulighe-

den, ville jeg have arbejdet mere med brugen af forskellige funktioner, der skal lette udtrykket (fx. brug af + / - funktionen ved produkter og medarbejderinfo).


*OPSÆTNING I HTML:*


Det har uden tvivl været en udfordring af få alle funktioner til at virke i praksis. Det har krævet søgninger på nettet efter løsninger, der kunne implementeres og samtidig virke i alle browsere. Og jeg har desuden fået prøvet nogle mere avancerede teknikker af, herunder jQuery / JS.

Jeg stødte dog på et problem med menuen. Min menu er fixed (fast position), hvilket betyder, at menuen forsvinder (man kan kun scrolle i indholdet), hvis browserens bredde er mindre end 1580 px. Ved hjælp af forskellige divs, fik jeg menuen til at følge med ned til 980 px., hvilket sikrer en valid menu ned til 1024 x 768 px. i skærbredde.

Alternativt kunne jeg have lavet opsætningen responsive, der ved hjælp af procentmæssige mål, skalerer indholdet til skærbredden, hvilket også gør opsætningen ideel til mobile platforme (notebook, iPad, iPhone osv.)

Men resultatet er blevet langt bedre end jeg havde forventet, dog ville jeg gerne have brugt mere tid på at finde nogle nemmere, hurtigere eller bedre løsninger til de forskellige funktioner, for det kan sikkert gøres smartere.





**KISS!** *keep it simple, stupid*

SIMPLE WORK

WHAT MORE

GET IN TOUCH



## YOU WANT US

*A bit cocky? Maybe, but we will not disappoint you!*

We are interested in being engaged in a project from the beginning to the end, from the idea to its **realization**. While working towards our common purpose, we try to stay **focused on details** which, when taken together, comprise the quality of our

Every member of our team has extensive experience in a variety of projects. Our **abilities** range from projects for small and medium businesses to large public and cultural assignments.

## MEET THE TEAM

### CLAUS RØNNOW

creative director - owner

### NIELS TANG SØRENSEN

web developer - owner

### RIGO NYFJELD

web developer

### DANIEL BROCH

web developer


### KENT BALLEGAARD

creative director - owner

### MAJKEN CRAMER

graphic designer - web

Happy to have you design for us, we have your back. This is very passionate and your attention to details and your knowledge, this will amaze you!



**KISS!** *keep it simple, stupid*

SIMPLE WORK

WHAT MORE

GET IN TOUCH



**HOW TO CATCH**

**KISS!** *keep it simple, stupid*

vedergade 14, 8400 Skovboengen  
T: +45 70 20 02 70, M: +45 91 00 00

Monday - Wednesday  
Thursday - Friday

from 9:30 - 18:30  
from 9:30 - 18:30

**FOLLOW US**



**CONTACT**

NAME:

EMAIL:

PHONE:

ADDRESS:

SEND MESSAGE

**KISS!**

vedergade 14, 8400 Skovboengen  
T: +45 70 20 02 70, M: +45 91 00 00

LINDA

Skovboengen, 8400 Skovboengen  
T: +45 70 20 02 70, M: +45 91 00 00

FOLLOW US

Facebook, LinkedIn, Twitter, Instagram, YouTube

```

<!-- javascript start -->
<script type="text/javascript">

    $( "a[name='more']" ).click( function() {
        showid = $( this ).attr( "rel" );
        //$( "a[name='more']" ).css( { backgroundPosition: 'left top' } );
        isshow = $( "#" + showid ).is( ":visible" );

        if( isshow == false ){
            $( this ).css( { backgroundPosition: 'left bottom' } );
            $( "#" + showid ).show();
        } else {
            $( this ).css( { backgroundPosition: 'left top' } );
            $( "#" + showid ).hide();
        }
    } );

    var poss = new Array( 0, -340, -680 );
    var maxi = poss.length - 1;
    var curri = 1;

    $( "#minusknap" ).click( function() {
        $( "#plusknap" ).css( { opacity: 1 } );
        if ( curri - 1 <= 0 ) {
            $( this ).css( { opacity: 0.5 } );
            curri = 1;
        } else {
            $( this ).css( { opacity: 1 } );
        }
        curri = curri - 1;
        $( "#mapdiv" ).css( { backgroundPosition: '0px ' + poss[ curri ] + 'px' } );
    } );

    $( "#plusknap" ).click( function() {
        $( "#minusknap" ).css( { opacity: 1 } );
        if ( curri + 1 >= maxi ) {
            $( this ).css( { opacity: 0.5 } );
            curri = 1;
        } else {
            $( this ).css( { opacity: 1 } );
        }
        curri = curri + 1;
        $( "#mapdiv" ).css( { backgroundPosition: '0px ' + poss[ curri ] + 'px' } );
    } );

</script> <!-- javascript end -->

</body>
</html>

```

```

<!-- formular start -->
<form action="http://scripts.wannafind.dk/form2mail.asp" method="post" name="form" id="form">
<fieldset>
    <table width="580" border="0" cellspacing="0" cellpadding="0">
        <tr>
            <td width="280"><input type="text" name="name" id="name" placeholder="insert . name" required="required" /></td>
            <td width="20">&nbsp;</td>
            <td width="280"><input type="text" name="mail" id="mail" placeholder="insert . mail" required="required" /></td>
        </tr>
        <tr>
            <td colspan="3">&nbsp;</td>
        </tr>
        <tr>
            <td width="280"><input type="text" name="company" id="company" placeholder="insert . company / private" required="required" /></td>
            <td width="20">&nbsp;</td>
            <td width="280"><input type="text" name="phone" id="phone" placeholder="insert . phone number" required="required" /></td>
        </tr>
        <tr>
            <td colspan="3">&nbsp;</td>
        </tr>
        <tr>
            <td colspan="3"><textarea name="comment" id="comment" placeholder="insert . comment (fx. price on project, book a meeting or what you want for christmas ...)" rows="1" cols="1" required="required"></textarea></td>
        </tr>
        <tr>
            <td colspan="3">&nbsp;</td>
        </tr>
        <tr>
            <td colspan="3"><td>* all fields are required</td>
            <td width="20">&nbsp;</td>
            <td><button name="signup" value="signup" type="submit">SEND REQUEST</button>
        </tr>
    </table>
</fieldset>

<input type="hidden" name="recipient" id="recipient" value="majkencramer@gmail.com" />
<input type="hidden" name="fromaddress" id="fromaddress" value="info@kiss.com" />
<input type="hidden" name="subject" id="subject" value="I wish to be contacted by KISS!" />
<input type="hidden" name="redirect" id="redirect" value="http://www.frkcramer.dk/kiss" />
<input type="hidden" name="orderby" id="orderby" value="Name, Mail, Company, Phone, Comment" />
</form>

<!-- formular end -->

```

Animationer

Baggrundsmusik

**Store billeder**

Stor typografik

Sort / hvid tema

**Formular**

Collage

Farverig

Mange elementer

**Få elementer**

Kolonne-layout

Virksomhed

Mørk vs. lys

**Interaktiv**

Flash-elementer

Femini

Maskulin

**Gråtoner + stafage**

Håndtegnet

**Billeder i fuld bredde**

Illustrativ

**Fast menu**

Bannerfunktion

Minimal

**Webfonte**

Mønster

Retro / vintage

Videobaggrund

Sød vs. rå

**Neutral**

Organisk

Elegant

Horisontalt layout

**One-page**

**Brug af ikoner**

Indscannet grafik


**Billedgalleri**

Nyhedsvisning

RØD = VALGTE ELEMENTER



# MINDMAP





RED SWAN invests in amazing humans.

...WHAT?

### OUR FAMILY

#### EVERTRUE

In Evertrue, Brett Ortina has taken his passion for fundraising for his respective alma matters and married it to a critical need for universities and institutions: leveraging the power of the mobile & social web to increase alumni engagement.  
<http://www.evertrue.com/> →

#### STYLEOWNER

Styleowner enables anyone to create an online store for her own social network by curating a product mix from her favorite brands. Social shopping at its best.  
<http://styleowner.com/> →

#### WARBY PARKER

Warby Parker checks every box for what we believe it takes to win in e-commerce: a compelling, unique product; superior customer service; and a strong brand that doesn't rely on an offline presence for customer

#### GROVO

Every year millions of people and businesses embrace the internet for the first time. And yet, until now, there has been no instruction manual to help out the novice user. Grovo is changing the game. As the leading portal for online video education on the most popular internet tools & platforms, Grovo is helping empower the next generation of internet users.  
<http://www.grovo.com/> →

#### BIRCHBOX

Birchbox is designed to be a smart, streamlined, FUN way to try and buy high-end beauty products. Our sisters & mothers love the product & so do hundreds of thousands of women around the world.  
<http://www.birchbox.com/> →

#### TROOPSWAP


It's not every day you meet two founders who are as easily conversant in full combat gear as they are in sandals & shorts on a hot DC summer day. Troopswap's founders, a couple of ex-Army HBS grads, are building the

## 03 / Process


SHOULD BE DESIGNED TO KILL AT THE intersection between agencies and the infrastructure that empowers digital ideas.

We work with creatives to learn and help define possible solutions from as early as the conceptualization phase, right through to the deployment of hardware and optimization of it.

- Creative Agency
- Mobile
- Platform







**ASIMI SILVER SPOONS**  
 An intricate spiral pattern distinguishes the handcrafted silver filigree found in our Asimi Silver coffee spoons. Coffee is integral to Cypriot lifestyle, but these silver spoons can be used for hot chocolate, tea, or whatever sets your fancy. 850 purity silver filigree. Dimensions are approximate.  
**COFFEE SPOONS**  
 Set of 6 3.5" 800117C







**METALLO COLLECTION**  
 The intricately patterned sieves of the Metallo Collection are perforated by hand in the ancient metalworking technique called punching. Hand-punched tin and wood. Dimensions are approximate.  
**LARGE SIEVE**  
 16.5" Diam. x 3.5" H. TS8001  
**SMALL SIEVE**  
 12" Diam x 2.75" H. TS8002





HOME


























# VALG AF FARVER



## UDVALGTE



HOVEDOVERSKRIFT

(UNIVERS) OVERSKRIFT  
(UNIVERS) OVERSKRIFT  
(UNIVERS) OVERSKRIFT  
(UNIVERS) OVERSKRIFT  
(UNIVERS) OVERSKRIFT  
**(UNIVERS) OVERSKRIFT**

**(INTRO) OVERSKRIFT**  
**(INTRO) OVERSKRIFT**

(WALKAWAY) OVERSKRIFT  
(WALKAWAY) OVERSKRIFT  
(WALKAWAY) OVERSKRIFT  
**(WALKAWAY) OVERSKRIFT**  
(WALKAWAY) OVERSKRIFT

BRØDTEKST / INTRO

(UNIVERS) Brødtekst  
(UNIVERS) Brødtekst

(HELVETICA) Brødtekst  
(HELVETICA) Brødtekst  
(TAHOMA) Brødtekst  
(ARIAL) Brødtekst  
(VERDANA) Brødtekst

(TIMES) Intro  
**(TIMES) Intro**  
*(TIMES NEW) Intro*  
**(TIMES NEW) Intro**

UDVALGTE

**MENU / MENU** Intro = 18 px.

**OVERSKRIFT** Intro = 24 px.

**MELLEMRUBRIK** Intro = 18 px.

**TITEL** (negativ) Intro = 18 px.

**LINKS** Intro = 12 px.

**FOOTER** (negativ) Intro = 12 px.


*Intro* Times New Roman = 25 px.

*info* (negativ) Times New Roman = 16 px.


Brødtekst / Brødtekst Arial = 12 / 18 px.

Beskrivelse Arial = 12 / 18 px.

Oplysninger (negativ) Arial = 12 / 18 px.




INDHOLD:  
1280 - 300 = 980 px.  
Max. bredde = 1024 px.



**LOGO:**  
størrelse = 300 x 55 px.


**MENU:**  
skrifttype = Intro  
skriftstørrelse = 18 px.  
farve, inaktiv = #464646  
farve, aktiv = #15af90  
stroke = #a0a0a0





BILLEDOMRÅDE:  
1580 (max.) x 340 px.





PRODUKTFOTO:  
størrelse = 313 x 300 px.

PRODUKT, AKTIV:  
farve, firkant = #15af90  
farve, titel = #FFFFFF  
farve, info = #FFFFFF  
skrifttype, titel = Intro  
skrifttype, info = Times

VIEW MORE:  
ikon = 20 x 20 px.  
skrifttype = Intro  
farve = #15af90  
størrelse = 14 px.



**OVERSKRIFT:**  
 skrifttype = Intro  
 skriftstørrelse = 24 px.  
 farve = #15af90  
 stroke = #464646

**INTRO:**  
 skrifttype = Times  
 styling = kursiv  
 skriftstørrelse = 25 px.  
 farve = #464646

**BRØDTEKST:**  
 skrifttype = Arial Regular  
 skriftstørrelse = 12/18 px.  
 justering = left justify  
 farve = #464646  
 farve, link = #15af90  
 styling, link = underline





- T Horizontal Type Tool T
- T Vertical Type Tool T
- T Horizontal Type Mask Tool T
- T Vertical Type Mask Tool T
- / Line Tool U
- □ Rectangle Tool U
- □ Rounded Rectangle Tool U
- ○ Ellipse Tool U
- ⬠ Polygon Tool U
- / Line Tool U
- ⬠ Custom Shape Tool U

**MELLEMRUBIK:**  
 skrifttype = Intro  
 skriftstørrelse = 18 px.  
 farve + stroke = #464646

**PERSONALE:**  
 skrifttype = Intro  
 skriftstørrelse = 24 px.  
 farve = #15af90

**INFO:**  
 skrifttype = Arial Regular  
 skriftstørrelse = 12/18 px.  
 farve + stroke = #a0a0a0

**MAJKEN CRAMER**  
 graphic designer . web  
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. In euismod blandit vehicula. Sed et accumsan risus. Praesent id turpis odio lectus ali.

**CLAUS RÖNNOW**

creative director . owner

**NIELS TANG SØRENSEN**

web developer . owner

**RIGO NYFJELD**

web developer

**DANIEL BROCH**


web developer

**KENT BALLEGAARD**

contact director . sales

**MAJKEN CRAMER**

graphic designer . web



- T Horizontal Type Tool T
- ↓ T Vertical Type Tool T
- ⊞ Horizontal Type Mask Tool T
- ⊞ Vertical Type Mask Tool T


**KONTAKTINFO:**  
skrifttype = Arial Regular  
skriftstørrelse = 12/18 px.  
justering = left  
farve = #464646

**GRAFIK TIL KORT:**  
farve, figur = #15af90  
farve, ikon = #FFF  
cirkler = 30 x 30 px.  
location = 40 x 60 px.

**IKONER - Inaktiv**  
størrelse = 30 x 30 px.  
farve, cirkel = #464646  
farve, ikon = #FFF

**IKONER - Aktiv**  
størrelse = 30 x 30 px.  
farve, cirkel = #FFF  
farve, stroke = #464646  
farve, ikon = #FFF





- Horizontal Type Tool T
- Vertical Type Tool T
- Horizontal Type Mask Tool T
- Vertical Type Mask Tool T
- Rectangle Tool U


**FORMULAR:**  
totalbredde = 580 px.  
farve = #a0a0a0

**LINK:**  
skrifttype = Intro  
skriftstørrelse = 14 px.  
farve = #15af90


**IKON:**  
farve, firkant = #15af90  
farve, ikon = #FFF  
cirkler = 20 x 20 px.

**FOOTER:**  
skrifttype = Intro  
skriftstørrelse = 12 px.  
farve = #FFF


**INFO:**  
skrifttype = Arial Regular  
skriftstørrelse = 12/18 px.  
farve = #a0a0a0





IKONER - Aktiv  
størrelse = 30 x 30 px.  
farve, cirkel = #464646  
farve, ikon = #FFF





IKONER - Inaktiv  
størrelse = 30 x 30 px.  
farve, cirkel = #FFF  
farve, stroke = #464646  
farve, ikon = #FFF







SAVE FOR WEB AND DEVICES!  
- laveste filstørrelse.





**WE KEEP IT SIMPLE**

*Less is more! Big thoughts - simple and perfect outcome.*



[+ VIEW MORE](#)



## YOU WANT US

---

*A bit cocky? Maybe, but we will not disappoint you!*

We are interested in being engaged in a project from the beginning to the end, from the idea to its [visualization](#). While working towards our common purpose, we try to stay [focused on details](#) which, when taken together, comprise the quality of our

Every member of our team has extensive experience in a variety of projects. Our [activities](#) range from projects for small and medium businesses to larger public and cultural assignments.

## MEET THE TEAM

---

### CLAUS RØNNOW

creative director . owner

### NIELS TANG SØRENSEN

web developer . owner

### RIGO NYFJELD

web developer

### DANIEL BROCH

web developer

### KENT BALLEGAARD

contact director . sales


### MAJKEN CRAMER

graphic designer . web

---

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In euismod blandit vehicula. Sed in accumsan neque. Praesent id turpis odio lectus at

---







BILLEDER OG GRAFIK



# BILLEDER OG GRAFIK







**KISS!** *keep it simple, stupid*



BILLEDER OG GRAFIK



**OLIVER & MYRTLE**

*organic shopping bag and logo design*



**GRAPHIC STUDIO**

*campaign posters and concept*



**BLANC PAPER**

*collection of valentine's card*



**LP RINGLING**

*campaign posters, logo design and concept*

BILLEDER OG GRAFIK



**TASTE BEVERAGE**

*logo design, paperline and posters*



**PFS BOOKS**

*illustrative books and cover design*



**MATT & SARAH**


*wedding invitations and concept*




**HEPCAT**

*posters, illustrations and branding*

# FLOWCHART







### Navigation / knapper

[ 12 ] button\_more.png

### Faste elementer

[ 1 ] logo.png  
[ 2 ] menu.doc

### Grafik

[ 6 ] thumb01.jpg  
[ 7 ] thumb02.jpg  
[ 8 ] thumb03.jpg  
[ 9 ] thumb04.jpg  
[ 10 ] thumb05.jpg  
[ 11 ] thumb06.jpg

### Billeder

[ 3 ] work.jpg


### Tekstindhold

[ 4 ] work-header.doc  
[ 5 ] work-intro.doc  
[ 12 ] "VIEW MORE"

### Evt. andet

[ + ] thumb07.jpg  
[ + ] thumb08.jpg  
[ + ] thumb09.jpg

- øvrige fremkommer ved klik på grafik nr. 12.



### Navigation / knapper

[ 18 ] button\_info.png

### Faste elementer

[ 1 ] logo.png  
[ 2 ] menu.doc

### Grafik

### Billeder


[ 13 ] about.jpg

### Tekstindhold

[ 14 ] about-header.doc  
[ 17 ] about-header.doc  
[ 15 ] about-intro.doc  
[ 16 ] about-vision.doc  
[ 18 ] about-team.doc  
[ 19 ] team-majken.doc

### Evt. andet

[ + ] team-claus.doc  
[ + ] team-niels.doc  
[ + ] team-daniel.doc  
[ + ] team-rigo.doc  
[ + ] team-kent.doc  
- information til medarbejdere



**Navigation / knapper**

- [ 31 ] button\_send.gif
- [ 22 ] button\_mapPLUS.png
- [ 23 ] button\_mapMINUS.png

**Faste elementer**

- [ 1 ] logo.png
- [ 2 ] menu.doc

**Grafik**

- [ 21 ] button\_locate.png
- [ 25 ] logo\_medium.png
- [ 28 ] button\_facebook.png
- [ 28 ] button\_google.png
- [ 28 ] button\_twitter.png
- [ 28 ] button\_linkedin.png

**Billeder**


- [ 20 ] map01.jpg
- [ 20 ] map02.jpg
- [ 20 ] map03.jpg

**Tekstindhold**


- [ 24 ] contact-header.doc
- [ 26 ] contact-info.doc
- [ 27 ] contact-follow.doc
- [ 29 ] contact-form.doc
- [ 30 ] form-info.doc


**Sidens bund**

- [ 32 ] logo\_small.png
- [ 33 ] footer-contact.doc
- [ 34 ] footer-links.doc
- [ 34 ] footer-follow.doc
- [ 36 ] copyright.doc









```

2 @charset "UTF-8";
3 * {margin:0px; padding:0px; border:0px; list-style-type:none; text-decoration:none;}
4
5
6
7
8 @font-face {
9     font-family: 'intro_regular';
10    src: url('intro-webfont-webfont.eot');
11    src: url('intro-webfont-webfont.eot?#iefix') format('embedded-opentype'),
12         url('intro-webfont-webfont.woff') format('woff'),
13         url('intro-webfont-webfont.ttf') format('truetype'),
14         url('intro-webfont-webfont.svg#intro_regular') format('svg');
15    font-weight: normal;
16    font-style: normal;
17 }
18
19
20
21
22 /* body start */
23 body {
24     font-family: Arial, Helvetica, sans-serif;
25     font-size:12px;
26     line-height:18px;
27     color:#464646;
28     background-color: #e5e5e5;
29 }
30
31 h1 {
32     display:inline-block;
33     font-size:23px;
34     font-family:intro_regular;
35     line-height:50px;
36     font-weight: lighter;
37     width:200px;
38     color:#15a798;
39     border-bottom: 3px solid #464646;
40 }
41
42 h2 {
43     font-family:"Times New Roman";
44     font-size: 25px;
45     text-align:right;
46     margin:30px 0px 0px 0px;
47     font-style:italic;
48     line-height:normal;
49     font-weight:lighter;
50     color:#464646;
51 }
52
53 h3 {
54     display:inline-block;
55     width:150px;
56     padding:0px 0px 10px 0px;
57     font-family:intro_regular;
58     font-size:18px;
59     text-align:left;
60     font-weight:lighter;
61     color:#464646;
62     border-bottom:2px solid #464646;
63 }
64
65
66 /* wrapper/page start */
67 #wrapper {
68     max-width:1580px;
69     margin-left:auto;
70     margin-right:auto;
71     background-color:#FFF;
72 }
73
74 /* max-width = bliver ikke breddere end 1580px,
75    men kan nedskaleres (dynamisk)*/
76
77
78
79
80 #page {
81     max-width:1580px;
82     min-width:980px;
83     height:auto;
84     margin-left:auto;
85     margin-right:auto;
86 }
87
88 /* max-width = bliver ikke breddere end 1580px, men kan nedskaleres (
89    min-width = kan ikke blive mindre, da indholdet ellers ikke vises (optimeret til 1024 x


```

**Webfont:** Font-face er lagt ind i CSS for at kunne benytte en webfont (Intro).

**Fonte:** Fast styling af h1, h2 og h3, da disse er ens for hele siden.

**H1/2:** Headers er inline-block, der tillader dem at ligge på samme linje selvom de har en fast bredde.

**Wrapper / page:** Max-width = bliver ikke breddere end 1580 px, men kan nedskaleres (dynamisk). Min-width = indhold kan ikke blive mindre end 980 px (optimeret til 1024 x 768 px).



```

1
2
3 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
4 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
5 <html xmlns="http://www.w3.org/1999/xhtml">
6
7 <head>
8 <script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.8.2/jquery.min.js">
9 </script>
10 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
11
12 <meta name="keywords" content="graphic design, innovation, press, products, skanderborg, easynet,
13 contact, creative" />
14 <meta name="description" content="We are the solution for all types of graphic designing. We make
15 innovative og creative products for press. You can find KISS in the city of 8660 Skanderborg and you are
16 mere than welcome to contact us." />
17
18 <title>KISS! - keep it simple, stupid</title>
19 <link href="css/styleheet-kiss.css" rel="stylesheet" type="text/css" />
20 </head>
21
22 <body>
23 <div id="wrapper">
24 <div id="page">

```

```

94      /* header start */
95      #header {
96          width:100%;
97          margin:0px 0px 0px 0px;
98          padding:0px 0px 0px 0px;
99          height:100px;
100         float:left;
101         position:fixed;
102         z-index:2000;
103         top:0;
104         left:0;
105     }
106
107     #menu-pos {
108         max-width:1500px;
109         height:100px;
110         background-color:#FFF;
111     }
112
113     #menu-width {
114         width:980px;
115     }
116
117
118     /* mainmenu start */
119
120     #mainmenu {
121         width:640px;
122         margin:0px 0px 0px 35px;
123         text-align:left;
124         float:left;
125         padding-top:43px;
126     }
127
128     #mainmenu ul {
129         list-style-type:none;
130     }
131
132     #mainmenu ul li {
133         list-style-type:none;
134         display:inline;
135         margin:0px 0px 0px 60px;
136     }
137
138     #mainmenu ul li a {
139         display:inline-block;
140         font-size:18px;
141         text-decoration:none;
142         font-family:intro_regular;
143         line-height:25px;
144         width:150px;
145         color:#464646;
146         border-bottom: 3px solid #d1d1d1;
147     }
148
149     #mainmenu ul li a:hover {
150         color:#15af90;
151     }
152
153
154     /* content-work start */
155
156     #content-work {
157         width:980px;
158         padding:40px 0px 0px 0px;
159         margin:0px auto 0px auto;
160     }
161
162     /* margin: indholdet på 980px er centret på siden via auto-margin */
163
164     #content-work a {
165         font-family:intro_regular;
166         font-size:14px;
167         font-weight:lighter;
168         color:#15af90;
169         display:inline-block;
170         height:20px;
171         text-align:right;
172         cursor:pointer;
173         background-image:url(../images/ikoner/button_more.png);
174         background-repeat:no-repeat;
175         background-position:left top;
176         padding:0px 0px 0px 30px;
177     }
178
179     #thumbs {
180         margin:100px 0px 0px 0px;
181     }

```

**Header:** Fast menu (fixed) i 100%. Max-width styres fra menu-pos og bredde på menu og logo styres af menu-width.

**Menu:** Inline-block tillader menupunkterne at ligge efter hinanden samtidig med, at de har en fast bredde.



```

17
18
19     <body>
20     <div id="wrapper">
21     <div id="page">
22
23
24     <!-- header start -->
25     <div id="header" align="center">
26     <div id="menu-pos">
27     <div id="menu-width">
28     <a href="index.html"></a>
29
30     <!-- mainmenu start -->
31     <div id="mainmenu">
32     <ul>
33     <li><a href="#work">Simple work</a></li>
34     <li><a href="#about">What more</a></li>
35     <li><a href="#contact">Get in touch</a></li>
36     </ul>
37     </div> <!-- mainmenu end -->
38
39     </div> <!-- menu-width end -->
40     </div> <!-- menu-pos end -->
41
42     </div> <!-- header end -->
43
44
45

```



```

34   text-align: center;
35   display: inline;
36   margin: 0px 0px 0px 60px;
37 }
38 #mainmenu ul li a {
39   display: inline-block;
40   font-size: 18px;
41   text-decoration: none;
42   font-family: intro-regular;
43   line-height: 25px;
44   width: 150px;
45   color: #464646;
46   border-bottom: 3px solid #d1d1d1;
47 }
48 #mainmenu ul li a: hover {
49   color: #15a790;
50 }
51 }
52 }
53 }
54 }
55 }
56 /* content-work start */
57 #content-work {
58   width: 980px;
59   padding: 40px 0px 0px 0px;
60   margin: 0px auto 0px auto;
61 }
62 /* margin: indholdet på 980px er centret på siden via auto-margin */
63 }
64 #content-work a {
65   font-family: intro-regular;
66   font-size: 14px;
67   font-weight: lighter;
68   color: #15a790;
69   display: inline-block;
70   height: 20px;
71   text-align: right;
72   cursor: pointer;
73   background-image: url(../images/ikoner/button_more.png);
74   background-repeat: no-repeat;
75   background-position: left top;
76   padding: 0px 0px 0px 30px;
77 }
78 }
79 #thumbs {
80   margin: 100px 0px 0px 0px;
81 }

```

**Content:** Luft lagt ind i top til ovenstående div.

**Link:** Denne funktion understøttes af jQuery / Java.


```

369 .thumb-hover {
370   width: 313px;
371   height: 300px;
372   background-position: left top;
373 }
374 }
375 }
376 }
377 .thumb-hover: hover {
378   width: 313px;
379   height: 300px;
380   background-position: right top;
381 }

```

**Class / thumbs:** Hvert prodbillede består af to billeder, hvor selve produktet står til venstre og beskrivelse står til højre. Hele billedet er derfor 626 x 300 px. Som udgangspunkt viser tabellen kun et udsnit på 313 x 300 px. af billedet.

Class **thumb-hover** viser billedet med reference i øverste venstre hjørne. Når musen holdes over billedet, viser **thumb-hover: hover** billedet med reference i øverste højre hjørne.



```

47 <!-- content-work start -->
48 <div class="anchor" id="work" style="position: absolute; margin: -100px 0px 0px 0px;"></div>
49 <div class="img" style="background: url(images/img/work.jpg);"></div>
50 }
51 <div id="content-work">
52 <h1 class="float-left">We keep it simple </h1>
53 <h2 class="float-right">Less is more! Big thoughts - simple and perfect outcome. </h2>
54 }
55 <!-- thumbs start -->
56 <div id="thumbs">
57 }
58 <table width="980" border="0" cellspacing="0" cellpadding="0">
59   <tr>
60     <td width="313"><div class="thumb-hover" style="background-image: url(images/thumbs/thumb01.jpg);">
61       <td width="20">&nbsp;</td>
62     <td width="313"><div class="thumb-hover" style="background-image: url(images/thumbs/thumb02.jpg);">
63       <td width="20">&nbsp;</td>
64     <td width="313"><div class="thumb-hover" style="background-image: url(images/thumbs/thumb03.jpg);">
65     </td>
66   </tr>
67   <tr>
68     <td colspan="5" height="20"></td>
69   </tr>
70   <tr>
71     <td width="313"><div class="thumb-hover" style="background-image: url(images/thumbs/thumb04.jpg);">
72     <td width="20">&nbsp;</td>
73     <td width="313"><div class="thumb-hover" style="background-image: url(images/thumbs/thumb05.jpg);">
74     <td width="20">&nbsp;</td>
75     <td width="313"><div class="thumb-hover" style="background-image: url(images/thumbs/thumb06.jpg);">
76   </td>
77   </tr>
78   <tr>
79     <td colspan="5" height="20"></td>

```

```

54
55
56 /* content-work start */
57 #content-work {
58   width:980px;
59   padding:40px 0px 0px 0px;
60   margin:0px auto 0px auto;
61 }
62 /* margin: indholdet på 980px er centret på siden via auto-margin */
63
64 #content-work a {
65   font-family:intro_regular;
66   font-size:14px;
67   font-weight:lighter;
68   color:#15a190;
69   display:inline-block;
70   height:20px;
71   text-align:right;
72   cursor:pointer;
73   background-image:url(../images/ikoner/button_more.png);
74   background-repeat:no-repeat;
75   background-position:left top;
76   padding:0px 0px 0px 30px;
77 }
78
79 #thumbs {
80   margin:100px 0px 0px 0px;
81 }
82
83
84
85 /* content-about start */
86 #content-about {
87   width:980px;
88   padding:40px 0px 0px 0px;
89   margin:0px auto 0px auto;
90 }
91
92 #content-about a {
93   text-decoration:none;
94   text-align:right;
95   cursor:pointer;
96   background-image:url(../images/ikoner/button_info.png);
97   background-repeat:no-repeat;
98   background-position:left top;
99   padding:0px 0px 0px 17px;
100  color: #464646;
101 }
102
103 #content-about p {
104   text-align:justify;
105 }
106
107 #content-about p a {
108   color:#15a190;
109   text-decoration:underline;
110   background-image:none;
111   padding:0px;
112 }
113
114 #content-about p a:Hover {
115   color:#15a190;
116   text-decoration:underline;
117   background-image:none;
118   padding:0px;

```


Link: Denne funktion understøttes af jQuery / Java.

Tekst: Justeret sats med linkeffekt, der nulstiller brug af padding og knap.

```

395
396
397 .staff {
398   margin:80px 0px 0px 0px;
399 }
400
401 .staff-name {
402   font-family:intro_regular;
403   font-size:23px;
404   color:#15a190;
405   text-align:left;
406   font-weight:lighter;
407 }
408
409 .staff-info {
410   color:#000000;
411   border-bottom:1px solid #000000;
412   border-top:1px solid #000000;
413   text-align:left;
414   padding:5px 0px 5px 0px;

```



```

111 been in this <a href="#work">business</a> for more than 30 years! - trust us, we know how to do that
112 thing.</p></td>
113 <td width="40" align="left" valign="top">&nbsp;&nbsp;&nbsp;</td>
114 <td width="280" align="left" valign="top"><p>Every member has extensive experience in a variety of
115 projects. And our <a href="#work">activities</a> range from projects for small and medium businesses to
116 larger public and cultural <a href="#work">assignments</a>. </p></td>
117 </tr>
118 </table>
119 </div>
120
121 <!-- staff start -->
122 <div class="staff">
123 <table width="980" border="0" cellspacing="0" cellpadding="0">
124 <tr>
125 <td width="400" rowspan="14" valign="top"><h3>Meet the team</h3></td>
126 <td width="260" class="staff-name">Claus Rønnow</td>
127 <td width="40">&nbsp;&nbsp;&nbsp;</td>
128 <td width="280" class="staff-name">Niels Tang Sørensen</td>
129 </tr>
130 <tr>
131 <td colspan="3">&nbsp;&nbsp;&nbsp;</td>
132 </tr>
133 <tr>
134 <td width="260"><div id="cr" class="staff-info" style="display:none">Lorem ipsum dolor sit amet,
135 consectetur adi piscin elit. In euismod blandit vehicula. Sed et accumsan risus. Praesent id turpis
136 lectus ali.</div></td>
137 <td width="40">&nbsp;&nbsp;&nbsp;</td>
138 <td width="280"><div id="nt" class="staff-info" style="display:none">Lorem ipsum dolor sit amet,
139 consectetur adi piscin elit. In euismod blandit vehicula. Sed et accumsan risus. Praesent id turpis
140 lectus ali.</div></td>
141 </tr>

```

```

223
224
225 #content-contact { /* content-contact start */
226   width:980px;
227   padding:40px 0px 0px 0px;
228   margin:0px auto 0px auto;
229 }
230
231 #minusknop {
232   position:absolute;
233   z-index:1000;
234   min-width:980px;
235   max-width:1580px;
236   width:100%;
237   text-align:right;
238   margin:240px auto 0px auto;
239   cursor:pointer;
240 }
241
242 #minusknop img {
243   margin:0px 100px 0px 0px;
244 }
245
246 #plusknop {
247   position:absolute;
248   z-index:1000;
249   min-width:980px;
250   max-width:1580px;
251   width:100%;
252   text-align:right;
253   margin:280px auto 0px auto;
254   cursor:pointer;
255 }
256
257 #plusknop img {
258   margin:0px 100px 0px 0px;
259 }
260
261 #mapdiv {
262   margin:100px 0px 0px 0px;
263   max-width:1580px;
264   min-width:980px;
265   width:100%;
266   height:340px;

```

**Minus / plus:**

Knapperne, der bruges til navigering af kortet, har position:absolute, der gør det muligt at placere dem dynamisk henover / ovenpå kortet.



```

358
359
360 .follow {
361   margin:60px 0px 0px 0px;
362 }
363
364 .follow-hover {
365   width:30px;
366   height:30px;
367   background-position:left top;
368 }
369
370 .follow-hover: hover {
371   width:30px;
372   height:30px;
373   cursor:pointer;
374   background-position:right top;
375 }

```

**Class / follow:** Hvert prodbillede består af to billeder, hvor selve produktet står til venstre og beskrivelse står til højre. Hele billedet er derfor 60 x 30 px. Som udgangspunkt viser tabellen kun et udsnit på 30 x 30 px. af billedet.

Class **follow-hover** viser billedet med reference i øverste venstre hjørne. Når musen holdes over billedet, viser **follow-hover: hover** billedet med reference i øverste højre hjørne.



```

202 <td width="260" align="left" valign="top"></td>
204 <td width="40" align="left" valign="top">&nbsp;</td>
205 <td width="140" align="left" valign="top"><p>&nbsp;</p></td>
206 <td width="40" align="left" valign="top">&nbsp;</td>
207 <td width="100" align="left" valign="top"><p>&nbsp;</p></td>
208 </tr>
209 <tr>
210 <td width="260" height="40" align="left" valign="bottom"><p>Vestergade 14 . 8660 Skanderborg<br />
211 <strong>T</strong> (+45) 70 25 03 70 . <strong>M</strong> info@kiss.com</p></td>
212 <td width="40" height="40" align="left" valign="bottom">&nbsp;</td>
213 <td width="140" height="40" align="left" valign="bottom"><p>Monday - Wednesday<br />
214 Thursday - Friday </p></td>
215 <td width="40" height="40" align="left" valign="bottom">&nbsp;</td>
216 <td width="100" height="40" align="left" valign="bottom"><p>from 9:00 - 15:30<br />from 9:00 - 15:00
217 </p></td>
218 </tr>
219 </table>
220 </div>
221 <!-- follow start -->
222 <div class="follow">
223 <table width="980" border="0" cellspacing="0" cellpadding="0">
224 <tr>
225 <td width="400" align="top"><h3>Follow us</h3></td>
226 <td width="40"><div class="follow-hover" style="background-image:
227 url(images/ikoner/button_facebook.png);"></div></td>
228 <td width="40"><div class="follow-hover" style="background-image:
229 url(images/ikoner/button_google.png);"></div></td>
230 <td width="40"><div class="follow-hover" style="background-image:
231 url(images/ikoner/button_linkedin.png);"></div></td>
232 <td width="40"><div class="follow-hover" style="background-image:
233 url(images/ikoner/button_twitter.png);"></div></td>
234 <td width="420">&nbsp;</td>
235 </tr>
236 </table>
237 </div> <!-- follow end -->

```

HTML / FOOTER

```

335 /* footer start */
336 #footer {
337   max-width:1580px;
338   min-width:980px;
339   width:100%;
340   margin:100px 0px 0px 0px;
341   padding:60px 0px 60px 0px;
342   min-height:200px;
343   background-color:#464646;
344 }
345 #footer h4 {
346   font-family:intro_regular;
347   color:#FFF;
348   font-size:23px;
349   font-weight:lighter;
350 }
351 #footer h5 {
352   font-family:intro_regular;
353   color:#FFF;
354   font-size:14px;
355   font-weight:lighter;
356 }
357 #footer p {
358   font-size:12px;
359   line-height:18px;
360   color:#a0a0a0;
361   text-align:left;
362 }
363 #footer p a {
364   font-size:12px;
365   line-height:18px;
366   color:#a0a0a0;
367   text-decoration:none;
368   text-align:left;
369 }
370 #footer p a:hover {
371   font-size:12px;
372   line-height:18px;
373   color:#a0a0a0;
374   cursor:pointer;
375   text-align:left;
376 }
377
378
379
380
381
382

```



**Footer:** Max-width = bliver ikke bredere end 1580 px, men kan nedskaleres (dynamisk). Min-width = indhold kan ikke blive mindre end 980 px (optimeret til 1024 x 768 px).

**Bund:** Opbygget i en tabel, hvor alle celler holder bund.

```

74 .links {
75   width:980px;
76   margin:0px auto 0px auto;
77 }
78
79

```



```

298 <!-- footer start -->
299 <div id="footer">
300   <div class="links">
301     <table width="980" border="0" cellspacing="0" cellpadding="0">
302       <tr>
303         <td width="400" valign="top"><h4>KISS!</h4></td>
304         <td width="130"><h5>LINKS</h5></td>
305         <td width="170"></td>
306         <td width="90"><h5>FOLLOW US</h5></td>
307         <td width="90"></td>
308         <td width="100"></td>
309       </tr>
310       <tr>
311         <td width="400" height="40" align="left" valign="bottom">
312         <p>Vestergade 14 . 8660 Skanderborg<br />
313         <strong>T</strong> (+45) 70 25 03 70 . <strong>M</strong> <a href="mailto:info@kiss.com" target=
314         "_blank">info@kiss.com</a></p>
315         <td width="130" height="40" align="left" valign="bottom">
316         <p><a href="#">Our work<br />View more projects</a></p>
317         </td>
318         <td width="170" height="40" align="left" valign="bottom">
319         <p><a href="#">Meet the team<br />Contact KISS!</a></p>
320         </td>
321         <td width="90" height="40" align="left" valign="bottom">
322         <p><a href="#">Facebook<br />Google +</a></p>
323         </td>
324         <td width="90" height="40" align="left" valign="bottom">
325         <p><a href="#">Linked In<br />Twitter</a></p>
326         </td>
327         <td width="100" height="40" align="left" valign="bottom">
328         <p><a href="www.frkcramer.dk">&copy; Majken Cramer</a></p>
329         </td>
330       </tr>
331     </table>
332   </div> <!-- links end -->
333 </div> <!-- footer end -->
334

```



# HTML / FORMULAR

```

277 /* formular start */
278
279
280 }
281
282 #content-contact #form input {
283 font-size:12px;
284 font-family:Arial, Helvetica, sans-serif;
285 width:264px;
286 padding:0px 0px 0px 10px;
287 height:40px;
288 background-color:#FFF;
289 border:solid 3px #a0a0a0;
290 float:left;
291 }
292
293 #content-contact #form input:focus {
294 background-color:#FFF;
295 border:solid 3px #15af90;
296 }
297
298 #content-contact #form textarea {
299 font-size:12px;
300 font-family:Arial, Helvetica, sans-serif;
301 width:564px;
302 padding:10px 0px 0px 10px;
303 height:140px;
304 background-color:#FFF;
305 border:solid 3px #a0a0a0;
306 float:left;
307 }
308
309 #content-contact #form textarea:focus {
310 background-color:#FFF;
311 border:solid 3px #15af90;
312 }
313
314 #content-contact #form button {
315 border:none;
316 display:inline-block;
317 height:20px;
318 background-color:#FFF;
319 font-family:intra_regular;
320 font-size:14px;
321 font-weight:lighter;
322 color:#15af90;
323 text-decoration:none;
324 text-align:right;
325 cursor:pointer;
326 background-image:url(../images/ikoner/button_send.gif);
327 background-repeat:no-repeat;
328 background-position:left top;
329 padding:0px 0px 0px 30px;
330 float:right;
331 }
    
```



**Input:focus** Denne funktion minder om a: hover og angiver, hvad der skal ske når feltet er aktivt.

**Textarea:** Denne type felt anvendes til større mængder af tekst, fx. beskeder fremfor et input-felt. Textarea indeholder også en mulighed for skalering af feltet.

```

486 /* placeholder start*/
487
488 /* WebKit browsers */
489
490 color: #a0a0a0;
491 font-family:Arial, Helvetica, sans-serif;
492 font-size:12px;
493 }
494
495 /*-moz-placeholder
496 /* Mozilla Firefox 4 to 18 */
497
498 color: #a0a0a0;
499 font-family:Arial, Helvetica, sans-serif;
500 font-size:12px;
501 }
502
503 /*-ms-placeholder
504 /* Mozilla Firefox 19+ */
505
506 color: #a0a0a0;
507 font-family:Arial, Helvetica, sans-serif;
508 font-size:12px;
509 }
510
511 /*-ms-input-placeholder
512 /* Internet Explorer 10+ */
513
514 color: #a0a0a0;
515 font-family:Arial, Helvetica, sans-serif;
516 font-size:12px;
517 }
    
```

**Placeholder:** Giver mulighed for at skrive en tekst i hvert felt inden indtastning. Og der er angivet en style til hver type browser.



```

243 <!-- formular start -->
244
245 <form action="http://scripts.wannafind.dk/form2mail.asp" method="post" name="form" id="form">
246 <fieldset>
247 <table width="580" border="0" cellspacing="0" cellpadding="0">
248 <tr>
249 <td width="280"><input type="text" name="name" id="name" placeholder="insert . name" required=
"required" /></td>
250 <td width="20">&nbsp;</td>
251 <td width="280"><input type="text" name="mail" id="mail" placeholder="insert . mail" required=
"required" /></td>
252 </tr>
253 <tr>
254 <td colspan="3">&nbsp;</td>
255 </tr>
256 <tr>
257 <td width="280"><input type="text" name="company" id="company" placeholder="insert . company /
private" required="required" /></td>
258 <td width="20">&nbsp;</td>
259 <td width="280"><input type="text" name="phone" id="phone" placeholder="insert . phone number"
required="required" /></td>
260 </tr>
261 <tr>
262 <td colspan="3">&nbsp;</td>
263 </tr>
264 <tr>
265 <td colspan="3"><textarea name="comment" id="comment" placeholder="insert . comment (fx. price on
project, book a meeting, or what you want for christmas ...)" rows="1" cols="1" required="required"></
textarea></td>
266 </tr>
267 <tr>
268 <td colspan="3">&nbsp;</td>
269 </tr>
270 <tr>
271 <td colspan="3">* all fields are required</td>
272 <td width="20">&nbsp;</td>
273 <td colspan="2"><button name="signup" value="signup" type="submit">SEND REQUEST</button>
274 </td>
275 </tr>
    
```



```

23 <!-- header start -->
24 <div id="header" align="center">
25 <div id="menu-pos">
26 <div id="menu-width">
27 <a href="index.html"></a>
29
30 <!-- mainmenu start -->
31 <div id="mainmenu">
32 <ul>
33 <li><a href="#work">Simple work</a></li>
34 <li><a href="#about">What more</a></li>
35 <li><a href="#contact">Get in touch</a></li>
36 </ul>
37 </div> <!-- mainmenu end -->
38
39 </div> <!-- menu-width end -->
40 </div> <!-- menu-pos end -->
41
42 </div> <!-- header end -->
43
44
45
46
47 <!-- co...
48
49
50 <!-- content-about start -->
51 <div id="content-about">
52 <div class="anchor" id="about"></div>
53 <div class="img" style="background: url('images/img/about.jpg');"></div>
54 <div id="content-about">
55
56 <h1 class="float-left">You want us </h1>
57 <h2 class="float-right">A bit cocky? Maybe, but we will not disappoint you! </h2>
58
59 <div class="content-about">
60 <table width="580" border="0" cellspacing="0" cellpadding="0">
61 <tr>
62 <td width="260" align="left" valign="top"><p> We are dedicated to our profession and every
63 customer is treated differently depending on the project, visions and <a href="#work">final outcome</a>.
64 We have been in this <a href="#work">business</a> for more than 30 years! - trust us, we know how to
65 do that thing.</p></td>
66 <td width="40" align="left" valign="top">&nbsp;</td>
67 <td width="280" align="left" valign="top"><p>Every member has extensive experience in a variety
68 of projects. And our <a href="#work">activities</a> range from projects for small and medium businesses
69 to larger public and cultural <a href="#work">assignments</a>. </p></td>
70 </tr>
71 </table>
72 </div>
73
74 <!-- staff start -->
75 <div class="staff">
76 <table width="980" border="0" cellspacing="0" cellpadding="0">
77 <tr>
78 <td width="400" rowspan="14" valign="top"><h3>Meet the team</h3></td>
79 <td width="260" class="staff-name">Claus Rønnow</td>
80
81
82
83

```

**Anchor id:** Hvert menupunkt skal linke til et specifikt område på siden. Til et one-page design, findes der ikke andre unikke undersider, da alt indhold er samlet på samme side.


Dette betyder, at der oprettes et referencepunkt, hvor menuen linker til gennem et id på et div. Når der klikkes på et menupunkt, scroller siden ned til den valgte reference.



```

334 </div> <!-- page end -->
335 </div> <!-- wrapper end -->
336
337 <!-- javascript start -->
338
339 <script type="text/javascript">
340
341 $("a[name='more']").click(function() {
342     showid = $(this).attr("rel");
343     //$("a[name='more']").css({ backgroundPosition: 'left top' });
344     isshow = $("#" + showid).is(":visible");
345
346     if(isshow == false){
347         $(this).css({ backgroundPosition: 'left bottom' });
348         $("#" + showid).show();
349     } else {
350         $(this).css({ backgroundPosition: 'left top' });
351         $("#" + showid).hide();
352     }
353 }});
354
355 </script> <!-- javascript end -->
356
357 </body>
358 </html>
359

```



**\$(**"a[name='more']"**)** = selector, her bestemmes, hvad der skal lyttes på. Koden lytter på alle a-tags, der har tildelt **name = "more"**.

```

<td height="25" align="left" valign="top"><a name="more"
rel="mc">graphic designer . web</a></td>

```

**.click(function() {** = Når der klikkes på et a-tag, afvikles en funktion, der finder attributten "rel".

```

<td height="25" align="left" valign="top"><a name="more"
rel="mc">graphic designer . web</a></td>

```

Attributten angiver en værdi, her "mc". Nu søger koden efter et object med tilsvarende id = "mc". Koden lytter nu på om dette object er synligt, som udgangspunkt er objektet skjult (display: none; = false).

```

<td width="260"><div id="mc" class="staff-info"
style="display:none;">Lorem ipsum dolor sit amet, consectetur adi pi-
scing elit. In euismod blandit vehicula. Sed et accumsan ali.</div></td>

```

```

if(isshow == false){
$(this).css({ backgroundPosition: 'left bottom' });
$("#" + showid).show();

```

Når objekt er false (skjult), pålægges en css-regel, der viser et baggrundsbilledet med reference i nederste venstre hjørne og samtidig vises objektet med id'et "mc" (minus).



```

else {
$(this).css({ backgroundPosition: 'left top' });
$("#" + showid).hide();

```

Når objekt er true, else (vist), pålægges en css-regel, der viser et baggrundsbilledet med reference i øverste venstre hjørne og samtidig skjules objektet med id'et "mc" (plus).


**Samme funktion bruges til at vise tredje række af produkterne!**



JAVA SCRIPT / KORT

```

359 var poss = new Array(0, -340, -680);
360 var maxi = poss.length - 1;
361 var curri = 1;
362
363 $("#minusnap").click(function() {
364     $("#plusnap").css({ opacity: 1 });
365     if (curri - 1 <= 0) {
366         $(this).css({ opacity: 0.5 });
367         curri = 1;
368     } else {
369         $(this).css({ opacity: 1 });
370     }
371     curri = curri - 1;
372     $("#mapdiv").css({ backgroundPosition: '0px ' + poss[curri] + 'px' });
373 });
374
375 $("#plusnap").click(function() {
376     $("#minusnap").css({ opacity: 1 });
377     if (curri + 1 >= maxi) {
378         $(this).css({ opacity: 0.5 });
379         curri = 1;
380     } else {
381         $(this).css({ opacity: 1 });
382     }
383     curri = curri + 1;
384     $("#mapdiv").css({ backgroundPosition: '0px ' + poss[curri] + 'px' });
385 });
    
```



`$("#minusnap")` = selector, her bestemmes, hvad der skal lyttes på. Koden lytter på et id, der er tildelt `id = "minusnap"`.

`<div id="minusnap"></div>`

`.click(function() {` = Når der klikkes på et a-tag, afvikles en funktion, der ændrer baggrundens position.



`$("#plusnap").css({ opacity: 1 });` = Som udgangspunkt skal denne knap være synlig = opacitet 100% (1).

`if (curri - 1 <= 0) {`  
`$(this).css({ opacity: 0.5 });`  
`curri = 1;`

Hvis referencepunktet er min. position (0), skal minusknappen have en opacitet på 50% (0.5).

`} else {`  
`$(this).css({ opacity: 1 });`

Hvis referencepunktet er enten ved udgangspunktet (-340) eller max. position (-680), skal minusknappen have en opacitet på 100% (1).



`var poss = new Array(0, -340, -680);`  
`var maxi = poss.length - 1;`  
`var curri = 1;`

En samling af værdier, der skal bruges til at placere baggrundsbilledet. Herunder, hvor mange referencepunkter, der skal benyttes. "Curri" benytter midterste reference = -340 px.

`curri = curri + 1;`  
`$("#mapdiv").css({ backgroundPosition: poss[curri] + 'px 0px' });`

Når der klikkes på minusknappen, indsættes en værdi for referencepunktet afhængigt af udgangspunktet.



**FOLLOW US**

[f](#) [g+](#) [in](#) [t](#)

**CONTACT**

insert : name  insert : mail

Udfyld dette felt.  private  insert : phone number

insert : comment (fx. price on project, book a meeting or what you want for christmas ...)

\* all fields are required

```

264 <tr>
265 <td colspan="3"><textarea name="comment" id="comment" placeholder="insert : comment (fx. price on
project, book a meeting or what you want for christmas ...)" rows="1" cols="1" required="required"></
textarea></td>
266 </tr>
267 <tr>
268 <td colspan="3">&nbsp;</td>
269 </tr>
270 <tr>
271 <td>* all fields are required</td>
272 <td width="20">&nbsp;</td>
273 <td><button name="signup" value="signup" type="submit">SEND REQUEST</button>
274 </td>
275 </tr>
276 </table>
277 </fieldset>
278
279 <input type="hidden" name="recipient" id="recipient" value="majkencramer@gmail.com" />
280 <input type="hidden" name="fromaddress" id="fromaddress" value="info@kiss.com" />
281 <input type="hidden" name="subject" id="subject" value="I wish to be contacted by KISS!" />
282 <input type="hidden" name="redirect" id="redirect" value="http://www.frkcramer.dk/kiss" />
283 <input type="hidden" name="orderby" id="orderby" value="Name,Mail,Company,Phone,Comment" />
284 </form>
285

```

3 3G 17.45 70%

Indbakke 1 af 50

Fra: info@kiss.com > Skjul

Til: Majken Cramer >

**I wish to be contacted by KISS!**  
6. maj 2013 17.45 Marker

Name: Majken Cramer  
Mail: [majkencramer@gmail.com](mailto:majkencramer@gmail.com)  
Company: easynet ApS  
Phone: [28402853](tel:28402853)  
Comment: Test af formular :)

**W3C** Markup Validation Service  
Check the markup (HTML, XHTML, ...) of Web documents

Jump To: Validation Output

**Errors found while checking this document as XHTML 1.0 Transitional!**

**Result:** 4 Errors, 1 warning(s)

**Address:**

**Encoding:** utf-8

**Doctype:** XHTML 1.0 Transitional

**Root Element:** html

**Root Namespace:** <http://www.w3.org/1999/xhtml>

The W3C validators rely on community support for hosting and development. 4105  
Donate and help us build better tools for a better web.

Validation Output: 4 Errors

**Line 249, Column 74: there is no attribute "placeholder"**

```
..xt" name="name" id="name" placeholder="insert . name" required="required"/></td>
```

You have used the attribute named above in your document, but the document type you are using does not support that attribute for this element. This error is often caused by incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Transitional" document type to get the "target" attribute), or by using vendor proprietary extensions such as "marginheight" (this is usually fixed by using CSS to achieve the desired effect instead).

This error may also result if the element itself is not supported in the document type you are using, as an undefined element will have no supported attributes; in this case, see the [element-undefined error message](#) for further information.

How to fix: check the spelling and case of the element and attribute, (Remember XHTML is all lower-case) and/or check that they are both allowed in the chosen document type, and/or use CSS instead of this attribute. If you received this error when using the <embed> element to incorporate flash media in a Web page, see the [FAQ item on valid flash](#).

**Line 249, Column 99: there is no attribute "required"**

```
..t" name="name" id="name" placeholder="insert . name" required="required"/></td>
```

You have used the attribute named above in your document, but the document type you are using does not support that attribute for this element. This error is often caused by incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Transitional" document type to get the "target" attribute), or by using vendor proprietary extensions such as "marginheight" (this is usually fixed by using CSS to achieve the desired effect instead).

This error may also result if the element itself is not supported in the document type you are using, as an undefined element will have no supported attributes; in this case, see the [element-undefined error message](#) for further information.

How to fix: check the spelling and case of the element and attribute, (Remember XHTML is all lower-case) and/or check that they are both allowed in the chosen document type, and/or use CSS instead of this attribute. If you received this error when using the <embed> element to incorporate flash media in a Web page, see the [FAQ item on valid flash](#).

**Line 265, Column 71: there is no attribute "placeholder"**

```
..se="comment" id="comment" placeholder="insert . comment (fx. price on project,...
```

You have used the attribute named above in your document, but the document type you are using does not support that attribute for this element. This error is often caused by incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Transitional" document type to get the "target" attribute), or by using vendor proprietary extensions such as "marginheight" (this is usually fixed by using CSS to achieve the desired effect instead).

This error may also result if the element itself is not supported in the document type you are using, as an undefined element will have no supported attributes; in this case, see the [element-undefined error message](#) for further information.

How to fix: check the spelling and case of the element and attribute, (Remember XHTML is all lower-case) and/or check that they are both allowed in the chosen document type, and/or use CSS instead of this attribute. If you received this error when using the <embed> element to incorporate flash media in a Web page, see the [FAQ item on valid flash](#).

**Line 265, Column 191: there is no attribute "required"**

```
..want for christmas ...)" rows="1" cols="1" required="required"></textarea></td>
```

You have used the attribute named above in your document, but the document type you are using does not support that attribute for this element. This error is often caused by incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Transitional" document type to get the "target" attribute), or by using vendor proprietary extensions such as "marginheight" (this is usually fixed by using CSS to achieve the desired effect instead).

This error may also result if the element itself is not supported in the document type you are using, as an undefined element will have no supported attributes; in this case, see the [element-undefined error message](#) for further information.

How to fix: check the spelling and case of the element and attribute, (Remember XHTML is all lower-case) and/or check that they are both allowed in the chosen document type, and/or use CSS instead of this attribute. If you received this error when using the <embed> element to incorporate flash media in a Web page, see the [FAQ item on valid flash](#).

**Line 365, Column 23: character "<" is the first character of a delimiter but occurred as data**

```
if (curri - 1 <= 0) {
```

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "&lt;"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&amp;", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

**Error Line 249, Column 74 & Line 265, Column 71: there is no attribute "placeholder"**  
**Error Line 249, Column 99 & Line 265, Column 191: there is no attribute "required"**

Fejlmeldinger accepteret: Disse to attributter skader ikke formularens funktion og derfor fjernes de ikke. Begge typer fungerer i alle browsere, men understøttes ikke, som udgangspunkt, af XHTML 1.0 (bruges i HTML5).

**Warning Line 365, Column 23: character "<" is the first character of a delimiter but occurred as data**

Advarsel accepteret: Denne advarsel fortæller, at tegnet "<" optræder som data og derfor bør skrives som en ascii-kode (&lt;), men tegnet beskriver i virkeligheden funktionen "større end" og accepteres derfor.